

MELTBLOWN SORBENTS

Pure meltblown fibers are the most cost-effective absorption technology today. Fast-wicking fibers absorb 25 times their weight in hydrocarbon.

Item	Description	Size	Weight	Pkg. Qty.
P100H	Pads	15"x18"	Heavy	100/cs
P200	Pads	15"x18"	Light	200/cs
EP100H	Pads	15"x18"	Medium	100/cs
R144	Rolls	30"x150'	Heavy	1/cs
SR144S	Rolls	15"x150'	Heavy	1/cs
B510	Booms	5"x10'		4/cs
B810	Booms	8"x10'		4/cs
MOPO3048	Socks	3"x48"		30/cs
MOPO10120	Socks	3"x120"		10/cs
SP818	Pillow	8"x18"		20/cs
SP1818	Pillow	18"x18"		10/cs
SAKPIL10	Pillow	4"x20"		10/cs



UNIVERSAL/CHEMICAL SORBENTS

Universal Chemical Sorbents are designed to pick-up aggressive hydrocarbon (oil and water) spills. Suitable for non-aggressive acids, caustics, coolants, solvents, water and solutions.

Item	Description	Size	Weight	Pkg. Qty
UP118H	Pads	15"x18"	Heavy	100/cs
UP200	Pads	15"x18"	Light	200/cs
UP118-9H	Pads	15"x18"	Medium	100/cs
UR136	Rolls	30"x150'	Heavy	1/cs
UR118S	Rolls	15"x150'	Heavy	1/cs
UR136-9	Rolls	30"x150'	Medium	1/cs
UR118-9	Rolls	15"x150'	Medium	2/cs
UB510	Booms	5"x10'		4/cs
MOPU3048	Socks	3"x4'		30/cs
MOPU101020	Socks	3"x120"		10/cs
SPU818	Pillows	8"x18"		20/cs
SPU1818	Pillows	18"x18"		10/cs
GENERAL PURPOSE SOCKS				
GP3048	Socks	3"x48"		30/cs
GP10120	Socks	3"x120"		10/cs



BONDED SORBENT ROLLS & PADS - OIL ONLY

Oil Select Bonded Pads are ideal for wiping applications when increased tensile strength is necessary. The sonic bonding process creates a stronger more durable fiber, without effecting absorption.

Item	Description	Size	Weight	Pkg. Qty.
BP100	Bonded Pads	15"x18"	Heavy	100/cs
BR144	Bonded Rolls	30"x150'	Heavy	1/cs
BSR144	Bonded Rolls	15"x150'	Heavy	2/cs



LAMINATED SORBENT ROLLS & PADS - OIL ONLY

Item	Description	Size	Weight	Pkg. Qty.
Q100H	Bonded Pads	15"x18"	Heavy	100/cs
Q150	Bonded Rolls	30"x150'	Heavy	1/cs
Q150S	Bonded Rolls	15"x150'	Heavy	2/cs



LAMINATED AGGRESSIVE PADS & ROLLS

These pads and rolls will absorb all liquids from water based fluids to aggressive acids. An absolute necessity for any haz mat spill or spill contingency planning. Both are bonded for tensile strength and absorb 25 times their weight in all liquids.

Item	Description	Size	Weight	Pkg. Qty.
UQ100	Universal Pads	15"x18"	Heavy	100/cs
UQ150	Universal Roll	30"x150'	Heavy	1/cs
UQ150S	Universal Split Roll	15"x150'	Heavy	2/cs



COTTON PADS AND ROLLS - OIL ONLY

Cotton pads and rolls absorb 20% more oil, is oil only, biodegradable, is softer, is non-linting, is a renewable resource and is stronger, especially when saturated. They offer excellent wicking with wipe dry performance.

Item	Description	Size	Weight	Pkg. Qty.
C100	Oil Only Pads	18"x18"	Heavy	100/cs
EC100	Oil Only Pads	18"x18"	Medium	100/cs
C150	Oil Only Rolls	36"x150'		1/cs



March 2006

60 LITRE SPILL KIT

Includes:

- 20 sorbent pads - 17" x 19"
- 3 sorbent socks - 3" x 48"
- 2 sorbent pillows - 8" x 18"
- 2 disposal bags - 26" x 36"
- 1 pair of safety goggles
- 1 pair of nitrile gloves



Oil Only

- ASK-20-O** - 24 x 36" Poly bag
- ASK-20-ON** - Red Nylon bag
- ASK-20-OP** - Blue 14 gallon

Universal/Chemical

- ASK-20-U** - 24 x 36" Poly bag
- ASK-20-UN** - Red Nylon bag
- ASK-20-UP** - Blue 14 gallon pail

45 GALLON SPILL KIT

Includes:

- 50 sorbent pads - 17" x 19"
- 3 sorbent booms - 5" x 120"
- 5 sorbent socks - 3" x 48"
- 1 bag granular absorbent
- 1 neoprene drain cover - 36" x 36"
- 5 disposal bags
- 1 retractable shovel
- 2 pairs of safety goggles
- 2 pairs of nitrile gloves
- 2 Tyvek suits
- 2 dust masks



- CSK-F45** - Oil Only
- CSKU-F45** - Universal
- CSKH-F45** - Hazmat

95 GALLON SPILL KIT

Includes:

- 50 sorbent pads - 17" x 19"
- 3 sorbent booms - 5" x 120"
- 5 sorbent socks - 3" x 48"
- 1 bag granular absorbent
- 1 neoprene drain cover - 36" x 36"
- 5 disposal bags
- 1 retractable shovel
- 2 pairs of safety goggles
- 2 pairs of nitrile gloves
- 2 Tyvek suits
- 2 dust masks



- CSK-F95** - Oil Only
- CSKU-F95** - General Purpose
- CSKH-F95** - Hazmat

(option: mobile 95gallon overpack)

250L MOBILE SPILL KIT

Includes:

- 1 mobile spill cart 30"x29"x42"
- 100 sorbent pads, 17"x19"
- 4 sorbent socks, 3"x120"
- 4 sorbent pillows, 18"x18"
- 1 bag of SpeediKleen
- 1 drain cover, 36"x36"
- 3 disposal bags
- 2 pairs of safety goggles
- 2 pairs of nitrile gloves

- CSK-F250M** - Oil Only
- CSKU-F250M** - General Purpose
- CSKH-F250M** Hazmat



250L OUTDOOR SPILL KIT

Includes:

- 1 spill cart 42"x30"x29"
- 100 sorbent pads, 17"x19"
- 4 sorbent socks, 3"x120"
- 4 sorbent socks, 3"x48"
- 4 sorbent pillows, 18"x18"
- 1 bag of SpeediKleen
- 1 drain cover, 36"x36"
- 3 disposal bags
- 2 pairs of safety goggles
- 2 pairs of nitrile gloves

- CSK-F250** - Oil Only
- CSKU-F250** - General Purpose
- CSKH-F250** - Hazmat



(optional casters available)

Poly OverPacks

Poly-Overpacks are available in many different sizes from small, medium, large and huge. These overpacks are versatile units that can directly contain solids and sludges with security. With a ½ turn lid, these ergonomically designed units allow for easy access unlike traditional “hoop-ring designs. All overpacks are nestable for easy storage



1220-YE	Poly-Overpack 20
1230-YE	Poly-Overpack 30
1065-YE	Poly-Overpack 65
1237-YE	Poly-Overpack 95

Spill Scooter

Product #: 5205-YE

Dimensions: 34.62" dia x 8.82" h
88cm x 23cm
Weight 22.5lbs/10.12kg
Load Bearing
Capacity UDL 500lbs/225kg
Sump Cap 11gal/41.8liters

Optional metal T-handle also available.
Product #: 5206-BK



Poly-Dolly

Product #: 5300-YE


Dimensions 69"lx32.5"wx26.5" h
175cmx82cmx67cm
Weight 92lbs/41.4kg
Load Bearing
Capacity UDL 600lbs/270kg
Sump Cap 80gal/304liters
Regulations EAP 40 CFR 264.175



Universal Poly-Drum Funnel

Fits both closed-head and open-head 55 gallon drums, and other containers. Features include patented scalloped design, high side wall and bung fitting holders. The Safety Funnel has all the same features plus a non-sparking safety bung closure with flame arrestor. The optional lockable Poly-Drum Funnel Cover (lock not included) is also available with all hardware and instructions included.

3004-YE	Universal Poly Drum Funnel
3004-YE-SF	Universal Poly Drum Funnel, Safety Funnel
3040-YE	Universal Poly Drum Funnel Cover



Drums-Up Jr.

Product #: 8200-YE

Dimensions Height: 7.5"/19cm
Diameter: 21.5"/54cm
Weight 4lbs/1.8kg
Sump Cap 7.5gal/28.5liters



March 2006

Poly-SpilPallet 2000



This secondary containment system is engineered to meet the rigors of today's regulatory environment. With 100% polyethylene, it provides excellent chemical resistance. Optional tarp for outdoor storage and drain hole with plug available.

Low-Profile In-Line Poly-SpillPallet 3000

Storing drums in-line near the wall, between columns, and in all those spaces you though were unusable. Optional tarp for outdoor storage, and optional drain.

- holds 4 55gallon drums
- low 12" profile
- holds up to 3,000 lbs UDL wt.
- raised edge on back and sides helps orient barrels on pallet
- non-skid, removable grates
- 66gallon sump capacity meets EPA40 CFR 264.175
- 100% polyethylene



Poly-Slim-Line 6000



Poly-Slim-Line 6000 offers all of the same advantages as our Poly-SpillPallet 6000 ... and more! This addition to our pallet family features a low, 12" profile and a UDL load bearing capacity of 6,000lbs. Optional drain.

Poly-SpilPallet 6000



Rated at 6,000lbs UDL weight with a 85gallon sump capacity that meets EPA40 cFR 264.175. Square 50"x50" footprint saves space yet easily holds four 55gallon drums. Includes the same rugged features at the 2000. Optional drain.

two removable grate hold up to 6,000lbs of UDL weight
forkliftable from all sides

	POLY-SPILLPALLET 2000	IN-LINE POLY-SPILLPALLET 3000	POLY-SLIM-LINE 6000	POLY-SPILLPALLET 6000
Product #:	5253-YE, 5253-YE-D w/drain	5102-YE, 5102-YE-D w/drain	5400-YE, 5400-YE-D w/drain	5001-YE, 5001-YE-D w/drain
Dimensions:	53.5"lx29"wx17"h 136cmx74cmx43cm	98"lx25.25"wx12"h 249cmx64cmx30cm	54"lx54"wx12"h 137cmx137cmx30cm	50"lx50"wx17"h 127cmx127cmx43cm
Weight	63lbs/28.35kg	80lbs/36kg	91lbs/41kg	88lbs/40kg
Load Bearing				
Capacity UDL	2000lbs/900kg	3000lbs/1350kg	6000lbs/2700kg	6000lbs/2700kg
Sump Cap	58gal/220.4liters	66gal/250.8liters	66gal/250.8liters	83gal/315.4liters
Regulations	EPA 40 CFR 264.175	EPA 40 CFR 264.175	EPA 40 CFR 264.175	EPA 40 CFR 264.175

March 2006



2-, 4-, 6- AND 8-DRUM WORKSTATIONS

Workstations are the easiest to load with low profile design and optional ramp. One-piece construction optimizes space for increased durability, safety and efficiency. With ample sump capacity in each Workstation, this secondary containment product is perfect for a dispensing station or work center. Each Workstation is designed for stand alone use or combines with other Workstations for a customized work area. The rolled-edge design helps resist cracking and warpage.

tough polyethylene construction, cannot rust or corrode

low profile workstations actually become part of your factory floor, optimizing space for increased safety and efficiency. Make drum loading a snap.

large sump capacity catches incidental spills

multi-purpose work ramp hooks onto any workstation for easy loading

heavy-duty removable structural foam grates for easy cleaning

	8 DRUM WORKSTATION	6 DRUM WORKSTATION	4 DRUM WORKSTATION	2 DRUM WORKSTATION	MULTI-PURPOSE WORKRAMP
Product #:	5110-YE	5115-YE	5116-YE	5117-YE	5111-CG
Dimensions:	100"l x 53.25"w x 6"h 254cmx135cmx15cm	76.5"l x 53"w x 6"h 194cmx135cmx15cm	52.5"l x 53"w x 6"h 133cmx135cmx15cm	53"l x 28.5"w x 6"h 135cmx72cmx15cm	25.5"l x 48"w x 6.25"h 65cmx122cmx16cm
Weight	139lbs/62.55kg	104lbs/47kg	73lbs/32.85kg	40lbs/18kg	30lbs/13.5kg
Load Bearing	8000lbs/3600kg	7000lbs/3150kg	6000lbs/2700kg	2400lbs/1080kg	1000lbs/450kg
Capacity UDL	77gal/292.6liters	61gal/231.8liters	43gal/163.4liters	22gal/83.6liters	
Sump Cap					
Regulations	EAP 40 CFR 264.175	EPA 40 CFR 264.175			

March 2006

SPEEDIKLEEN - Part # HD2205

SpeediKleen Premium Oil Absorbent is an all-purpose absorbent designed for the quick clean-up of water, oil and grease. Made from diatomaceous earth, a naturally occurring mineral with superior absorption ability, this high quality product delivers 50% more absorbency per pound than clay alternatives. SpeediKleen premium Oil Absorbent is available in a leak-resistant, moisture-proof polybag.

20 lbs/bag, 75 bags/skid



OIL GATOR - Part # GATOR30

Oil Gator stops the leaching of spills into the soil or groundwater using nature's methods and materials - Contains natural ingredients necessary to accelerate microbes to a point where they will rapidly degrade unwanted hydrocarbons. Absorbs up to six times its weight in oil or oil-based products.

30lbs/bag, 50 bags/skid



ECODRI - Part # ECO-SKID

This 100% cellulose product is proving to be an exceptional granular product. It is easy to clean-up, lightweight and biodegradable. EcoDri is silica and asbestos free and can be used with most liquids.

25lbs/bag, 75 bags/skid



CHEETAH SORB - Part # TS20

Cheetah Sorb is an oil absorbent that is dust free, highly absorbent and incinerable. Packaged in a loose, particulate form, it's environmentally friendly but also a better performing, more economic sorbent than either clay or sawdust. Acts like a sponge to instantly begin absorbing a broad range of non-aggressive liquids such as oil- and water-based fluids, cutting fluids, coolants and many other hazardous/problem liquids from spills and leaks.

20lbs/bag, 70 bags/skid



Ultra IBC SpillPallet Plus

Low profile 28" overall height allows safe and convenient IBC tank handling and dispensing. All polyethylene construction offers excellent chemical resistance and will not rust or corrode. Forkliftable - allows for convenient positioning to desired locations. 360 gallon sump capacity

- 1157 Ultra IBC Spill Pallet Plus (no drain) 62"x62"x28"
- 1158 Ultra IBC SpillPallet Plus (with drain), 62"x62"x28"



Poly-Rack System

The Poly-Racker is a unique one-piece polyethylene rack that holds two 55 gallon drums securely in place. Sump capacity is 100 plus gallons which ensures spill safety even in worst-case drum leaks. The dispensing well easily holds 5 gallon pails while containing incidental spills and splashes in a ribbed bottom without contaminating the sump. Combine a single Poly-Stacker to stack up to four drums. Each Poly Stacker holds two 55 gallon drums and can be quickly stacked with any forklift. Any spills from second or third levels fall into the dispensing well. The Poly Shelf easily attaches to a Poly Stacker and a hole in the bottom of the Poly Shelf drains into the dispensing well in the Poly Racker

- 6000-YE Poly Racker, 49"x52.5"x22.5"
- 6002-YE Poly Stacker, 49"x48"x13"
- 6003-YE Poly Shelf, 17"x22"x17.5"



Single Poly-Rack System

Economical, space-saving solution to storing and dispensing from 55 gallon drums. The system consists of separate single Poly-Racker, single Poly Stacker, Universal Well Liner and Poly Shelf. The Poly Stacker allows for stacking of second 55 gallon drum. The system holds 1600lbs and the Poly-Racker features a 66 gallon sump capacity.

- 6006-YE Single Poly Racker, 31"x53"x32"
- 6007-YE Single Poly Stacker, 31"x40.5"x20"



March 2006

2-Drum Hardcover & Spill Pallet

Ideal for indoor/outdoor storage of up to two 55 gallon drums. Roll-top design allows for use in limited space or next to buildings where swing-open doors would be a problem. Top or front/rear loadable. Lockable door. Used in conjunction with Poly Spillpallet 2000 (5253-YE). Optional ramp and drain.

4062-YE	2-Drum Hardcover
4062-YE-D	2 Drum Hardcover with drain
5039-CG	Poly-Ramp
5038-CG	Ramp Extender



4-Drum Hardcover & Spill Pallet

A sturdy solution to indoor/outdoor storage of up to four 55 gallon drums. Weatherproof! Roll-top design allows it to be used in limited space or next to building where swing-open doors would be a problem. Takes up less than 25 square feet of floor space. Allows ample room for drum pumps. Used in conjunction with Poly-Slim-Line 6000 (5400-YE). Optional ramp and drain.

4064-YE	4-Drum Hardcover
4064-YE-D	4 Drum Hardcover with drain
5039-CG	Poly-Ramp



Poly-Safetypack Plus

This tough, indoor or outdoor performer protects two 55 gallon drums while containing leaks with a 270 gallon sump capacity. Drum access and removal is easy with the unique gull-wing covers. Items inside are protected from the weather with a unique slide-over lid design. The 54.25" inside height allows the lids to be closed with the pumps in place to create a versatile pumping station where the convenience of leaving the pumps installed is important.

2077-YE	Poly-SafetyPack Plus
2077-YE-D	Poly-SafetyPack Plus with Drain



IBC HardTop

The upper roll-top door and lower swing-out doors combine to allow easy and convenient access to IBC. Safely stores an IBC tank with maximum dimensions of 52"x52"x61". This low profile (28" height) allows safe material handling and dispensing. 360 gallon containment sump. Forkliftable, lockable, all-polyethylene design will not rust or corrode.

1162	IBC HardTop
1161	IBC HardTop with Drain

